



APACHE X561

SEMUA offers a range of pneumatic Airless Painting Pump able to cope with virtually all types of painting environment, whether on site where the need is for maneuverability or in a fixed environment such as paint booth.

Tried and tested throughout the world the SEMUA range of paint pumps, offers unparalleled rugged efficient operation applying paint quickly and accurately.



**EMPEROR X751**

The Semua Emperor X751 leads the pack in high pressure pneumatic Airless Spray Pumps.

It's massive 10.6" air motor powers the pump to produce an exceptional fluid pressure ratio of 75:1. The Semua Emperor X751 spray pump, being light weighted, also gives the ability to cope with virtually all types of painting environments, whether onsite where the need is for maneuverability or in fixed environments such as paint booths.

## FEATURES

- Heavy duty air regulator
- 10 Inch size Air Motor
- Complete with all painting accessories and ready to use.

## INDUSTRIES SERVED

- Construction
- Steel Fabrication
- Shipyards
- High viscosity coating
- Protective coating

<b>TECHNICAL DATA</b>	<b>X-45:1</b>	<b>X-56:1</b>	<b>X-68:1</b>
<b>Fluid pressure ratio</b>	<b>45:1</b>	<b>56:1</b>	<b>68:1</b>
<b>Delivery (Litre/min)</b>	<b>15.8</b>	<b>13.7</b>	<b>11.4</b>
<b>CC per cycle</b>	<b>263</b>	<b>228</b>	<b>190</b>
<b>Max. pump speed/min</b>	<b>60</b>	<b>60</b>	<b>60</b>
<b>Air motor diameter (inch; mm)</b>	<b>10 (254)</b>	<b>10 (254)</b>	<b>10 (254)</b>
<b>Stroke length(mm)</b>	<b>127</b>	<b>127</b>	<b>127</b>
<b>Air powered range(bar)</b>	<b>1-7</b>	<b>1-7</b>	<b>1-7</b>
<b>Maximum pressure (psi; bar)</b>	<b>4568 (315)</b>	<b>5685 (392)</b>	<b>6903 (476)</b>

**Marketed by:**

**ABRADANT INTERNATIONAL | Dubai Investment Park 2 | Dubai | UAE**  
**Tel : +971-488-76357 | Email : info@abr-intl.com | www.abr-intl.com**

Tried and tested throughout the world the Semua Emperor X751 spray pumps offers unparalleled rugged & efficient operation in applying high viscosity and protective coatings in various industries such as

- Roofings
- Construction
- Metal structures & Steel Fabrications
- Shipyards
- Marine
- Oilfield & Pipe Industries
- Bridges
- Chemical Plants

#### Key Features

- Heavy duty air regulator
- Revolutionary moisture drain system
- 10.6 inches Air motor
- High Fluid Pressure Ratio of 75:1
- Multi Gun Operation

All Semua Emperor X751 spray pumps are fully tested and ready to spray

<b>TECHNICAL DATA</b>	<b>X751</b>
<b>Fluid pressure ratio</b>	<b>75:1</b>
<b>Delivery (Litre/min)</b>	<b>11.7</b>
<b>CC per cycle</b>	<b>195</b>
<b>Max. pump speed/min</b>	<b>60</b>
<b>(Air motor diameter (inch; mm))</b>	<b>10.6 (270)</b>
<b>Stroke length(mm)</b>	<b>130</b>
<b>Air powered range (bar)</b>	<b>2-7</b>
<b>Maximum pressure (psi; bar)</b>	<b>7614 (525)</b>

#### Marketed by:

**ABRADANT INTERNATIONAL | Dubai Investment Park 2 | Dubai | UAE**  
Tel : +971-488-76357 | Email : [info@abr-intl.com](mailto:info@abr-intl.com) | [www.abr-intl.com](http://www.abr-intl.com)